

多樂士優質外牆漆 Exterior Wall Finish

防霉抗鹼 外牆首選



標準顏色系列 Standard Colour Series




22294
Bone



26694
Vanilla



26698
Golden Apple



21170
Orchid Violet



26692
Citron



26696
Lace



26697
Cairo



21171
Fairyland



26695
Custard




26699
Wicker



27114
Topaz



23162
Oasis



22299
Wheat




27112
Peach Soap




27113
Desert Red



20276
Whisper



26693
Soft Lip




24240
England Rose




24146
Brick Red



20278
Dolphin



23161
Seashell



23160
Fern

另備有白色65155(A952)、25155(A915)及F65155(A985)。
有關產品及調色服務詳情，請向零售商或多樂士營業員查詢。

Available in a white colour 65155(A952), 25155(A915) and F65155(A985).
For more details about the product and tinting service, please consult retailers
or Dulux sales representatives.

此漆板上的顏色是印刷技術所能印出最接近漆油的真實顏色。
由於攝影時的燈光及印刷技術的限制，相片中牆身的顏色會與漆油的真實顏色有別。
The colours on this card are closest to the actual paint colours as printing techniques allow.
All colours shown in photographs may vary from actual paint colours due to lighting and printing.

A952 多樂士專業彈性晴雨漆 Dulux Pro Flexi Weathershield

極佳彈性，有助覆蓋牆身細微裂紋

- 極佳防水性
- 優質抗鹼和防霉功能*

Good elasticity, covering hair-line cracks

- Good water proofing
- Excellent alkali and fungus resistance*



H8915 多樂士晴雨漆 Dulux Weathershield

優質抗鹼和良好的防霉功能*

- 極佳附著力
- 優異的耐候性及保色性
- 極佳抗沾污性，漆面可洗擦

Excellent alkali and fungus resistance*

- Good adhesion
- Excellent weathering and colour retention
- Good dirt resistance, easily washed and cleaned



A985 多樂士專業新一代晴雨漆 Dulux Pro New Generation Weathershield

優異的耐候性，能長效保護建築

- 優異的抗沾污性能及耐洗擦性
- 漆膜柔韌，有助防止牆身產生細微裂紋
- 優異的防霉功能*

Excellent durability, protecting architecture

- Excellent anti-dirt-pick-up performance and washability
- Excellent flexibility can cover hair-line cracks
- Excellent fungus resistance*



* 通過GB/T 1741-2007 《漆膜耐霉菌性測定法》
Passed GB/T 1741-2007 《Test method for determining the resistance of paints film to mold》

多樂士煥新妙法 Dulux Home Renewal Tips

1 專業調色系統 Professional tinting services

多樂士的調色系統可調校超過2,000隻電腦調色，包括紅、橙、黃、綠、藍、紫及中性色，深淺色俱備。詳情可瀏覽多樂士網站 www.dulux.com.hk 或向多樂士調色中心查詢。

Dulux professional tinting services offer a range of more than 2,000 paint colours. You can choose the colour based on your preference and needs. Visit www.dulux.com.hk or Dulux Colour Solution Centre for more product details and decorating suggestions.



2 色彩工具 Dulux Visualizer

使用嶄新的色彩應用程式Dulux Visualizer，直接透過屏幕為牆身上色，即時預覽顏色在真實環境下的效果，更可將「設計方案」傳送給親友互相交流分享，帶來有趣的選色體驗。


With the New "Dulux Visualizer" app, you can see real paint colours on your walls with just a tap on the screen. You can also share personalised designs and room ideas with friends and family, making the whole experience more fun.



App Store
下載



Google Play
下載



3 多樂士「煥新居」髹油服務 Dulux Home-Refresh Painting Service

多樂士提供一站式全面的家居髹油服務，專業團隊用心為您打點整個服務流程，讓您輕鬆擁有一個煥然一新的家居。

Dulux provides a wall-to-wall overhaul for your home. You can enjoy a professional and safe yet hassle-free painting service easily.

✓ 專業團隊 Professional

經驗豐富的施工團隊，配合優質多樂士產品，令施工效果表現出色。
Experienced team paired with premium products ensure excellent workmanship.

✓ 簡易流程 Easy


過程包括評估、保護、髹油和清潔，快捷簡便。
4 simple steps - assessment, protection, painting and cleaning.

✓ 淨味安全 Safe

採用淨味環保乳膠漆及底漆，保障您和家人的健康。
Odourless eco-painting system, ensure a healthy living space.

✓ 省時稱心 Hassle-free

服務報價清晰，且工程準時竣工，讓您省時、放心。
Clear quotation with detail work schedule ensure on time completion.



立即致電 2823 1618 預約上門評估及報價。
Call us at 2823 1618 for an onsite quotation.



WhatsApp
6191 2380 即時通訊
Scan to chat instantly

產品功能 Product functions



多樂士外牆漆
Dulux exterior wall finish



一般外牆乳膠漆
Other exterior emulsion paints

① 防霉及抗鹼 Excellent fungus and alkali resistance

具防霉及抗鹼功能，特別為保護外牆而設。



② 抵抗風化及褪色 Weathering resistance and colour retention

漆膜堅韌，具高度耐候性，可抵受天氣，有助預防牆身粉化、漆膜剝落及牆面褪色等問題。



③ 抗沾污 Dirt resistance

具優異的抗沾污性能，有助保護樓宇表面。



多樂士優質外牆漆

Exterior Wall Finish



多樂士專業
彈性晴雨漆
A952



多樂士晴雨漆
H8915



多樂士專業
新一代晴雨漆
A985

產品資料 Product Information

包裝

- A952 - 20公升
- H8915 - 5公升 / 18公升
- A985 - 5公升 / 20公升

理論覆蓋度

- A952
 - 10平方米 / 公升 / 層
 - 建議塗層: 2層
- H8915
 - 14平方米 / 公升 / 層
 - 建議塗層: 2層
- A985
 - 14平方米 / 公升 / 層
 - 建議塗層: 2層

(實際覆蓋度會因不同的施工方法及表面粗糙程度而有異)

用途

各種磚石結構和石膏板牆面

塗刷深色或鮮豔顏色時，可視情況適當地增加塗刷遍數，以達致理想效果
When applying a deep or bright colour, you may apply more coats to achieve better opacity

Pack Size

- A952 - 20 litres
- H8915 - 5 litres / 18 litres
- A985 - 5 litres / 20 litres

Theoretical Coverage

- A952
 - 10 square metres/ litre/ coat
 - No of Coat Recommended: 2 coats
- H8915
 - 14 square metres/ litre/ coat
 - No of Coat Recommended: 2 coats
- A985
 - 14 square metres/ litre/ coat
 - No of Coat Recommended: 2 coats

(Actual usage will be varied considerably depending on different application methods and the roughness of wall surfaces)

Typical Uses

Masonry surface such as brickwork, plaster, cement and rendering

建議配套產品 Suggested Related Products

表面處理 Surface Preparation



ICI Polycell彈性填縫膠
ICI Polycell Polyfilla Decorators Caulk

底漆(一層) Primer (1 coat)



多樂士抗鹼底漆(水劑)
Dulux Alkali Resisting Wall Sealer (Waterborne)
H8915及A952使用
For the use of H8915 and A952



多樂士專業晴雨底漆
Dulux Pro Weathershield Primer
A985使用
For the use of A985